

Magnetic Stands

With Dual Stems



- For electronic/dial indicators and dial test indicators






816250



816252



816254




| Magnetic Force (lbf/kgf) | Applicable Holding Stem Diameters | Fine Adjustment | INSIZE No. | Code |
|--------------------------|-----------------------------------|-----------------|------------|--------|
| 132/60 | 3/8", 8mm, 4mm | No | 6200-60 | 816250 |
| 132/60 | 3/8", 8mm, 4mm | Yes | 6201-60 | 816252 |
| 220/100 | 3/8", 8mm, 4mm | Yes | 6202-100 | 816254 |

Universal Magnetic Stands




- For electronic/dial indicators and dial test indicators
- With fine adjustment and dovetail groove

Heavy Duty



| Magnetic Force (lbf/kgf) | Applicable Holding Stem Diameter | Fine Adjustment | INSIZE No. | Code |
|--------------------------|----------------------------------|-----------------|------------|--------|
| 176/80 | 3/8" | Yes | 6210-80E | 877028 |




| Magnetic Force (lbf/kgf) | Applicable Holding Stem Diameter | Fine Adjustment | INSIZE No. | Code |
|--------------------------|----------------------------------|-----------------|------------|--------|
| 176/80 | 3/8" | Yes | 6208-80E | 816256 |

Magnetic Stand With Flex Arm



- For dial test indicators




| Magnetic Force (lbf/kgf) | Applicable Holding Stem Diameter | INSIZE No. | Code |
|--------------------------|----------------------------------|------------|--------|
| 176/80 | 3/8", 8mm, 4mm | 6207-80A | 282892 |

Miniature Magnetic Stand



- For dial test indicators
- With fine adjustment and dovetail groove



| Magnetic Force (lbf/kgf) | Applicable Holding Stem Diameter | Fine Adjustment | INSIZE No. | Code |
|--------------------------|----------------------------------|-----------------|------------|--------|
| 88/ | 3/8" | Yes | 6224-40E | 816650 |