

Slotting Saws

High Speed Steel – Jeweler's Type – Ground Teeth & Sides (continued)

Diameter (Inch)	Width of Face (Inch)	Hole Size (Inch)	No. of Teeth	Code	Diameter (Inch)	Width of Face (Inch)	Hole Size (Inch)	No. of Teeth	Code	Diameter (Inch)	Width of Face (Inch)	Hole Size (Inch)	No. of Teeth	Code
3	0.025	1/2	230	602193	4	0.018	1/2	310	602220	5	0.025	1	380	602232
3	0.025	1	230	602194	4	0.018	1	310	602221	6	0.102	1	232	602233
3	0.023	1/2	230	602195	4	0.016	1/2	310	602222	6	0.091	1	232	602234
3	0.023	1	230	602196	4	0.016	1	310	602223	6	0.081	1	232	602235
3	0.020	1/2	230	602197	5	0.064	1	280	602224	6	0.072	1	232	602236
3	0.020	1	230	602198	5	0.057	1	280	602225	6	0.064	1	232	602237
3	0.018	1/2	230	602199	5	0.051	1	280	602226	6	0.057	1	232	602238
3	0.016	1/2	230	602201	5	0.045	1	280	602227	6	0.051	1/2	232	602239
3	0.012	1/2	280	602205	5	0.040	1	280	602228	6	0.051	1	232	602240
3	0.010	1/2	280	602207	5	0.032	1/2	280	602229	6	0.045	1	340	602241
4	0.051	1/2	220	602211	5	0.032	1	280	602230	6	0.040	1	340	602242
4	0.045	1	220	602213	5	0.025	1/2	380	602231	6	0.035	1	340	602243
4	0.040	1	220	602215										
4	0.020	1/2	310	602218										

Screw Slotting Saws

High Speed Steel – 56, 60, 72 & 90 Teeth



TOLERANCES:
 Outside diameter ±0.015"
 Hole diameter ±0.001"
 Width ±0.001"

Diameter (Inch)	Width of Face (Inch)	Hole Size (Inch)	No. of Teeth	Code	Diameter (Inch)	Width of Face (Inch)	Hole Size (Inch)	No. of Teeth	Code	Diameter (Inch)	Width of Face (Inch)	Hole Size (Inch)	No. of Teeth	Code
1-3/4	0.010	1/2	90	602244	2-1/4	0.018	5/8	60	602270	2-3/4	0.040	3/4	72	602296
1-3/4	0.013	1/2	90	602245	2-1/4	0.020	5/8	60	602271	2-3/4	0.045	3/4	72	602297
1-3/4	0.020	1/2	90	602246	2-1/4	0.023	5/8	60	602272	2-3/4	0.051	3/4	72	602298
1-3/4	0.008	5/8	90	602247	2-1/4	0.025	5/8	60	602273	2-3/4	0.057	3/4	72	602299
1-3/4	0.010	5/8	90	602248	2-1/4	0.028	5/8	60	602274	2-3/4	0.064	3/4	72	602300
1-3/4	0.012	5/8	90	602249	2-1/4	0.032	5/8	60	602275	2-3/4	0.072	3/4	72	602301
1-3/4	0.014	5/8	90	602250	2-1/4	0.036	5/8	60	602276	2-3/4	0.081	3/4	72	602302
1-3/4	0.016	5/8	90	602251	2-1/4	0.040	5/8	60	602277	2-3/4	0.091	3/4	72	602303
1-3/4	0.018	5/8	90	602252	2-1/4	0.045	5/8	60	602278	2-3/4	0.102	3/4	72	602304
1-3/4	0.020	5/8	90	602253	2-1/4	0.051	5/8	60	602279	2-3/4	0.114	3/4	72	602305
1-3/4	0.023	5/8	90	602254	2-1/4	0.057	5/8	60	602280	2-3/4	0.128	3/4	72	602306
1-3/4	0.025	5/8	90	602255	2-1/4	0.064	5/8	60	602281	2-3/4	0.162	3/4	72	602307
1-3/4	0.028	5/8	90	602256	2-1/4	0.072	5/8	60	602282	2-3/4	0.182	3/4	72	602308
1-3/4	0.032	5/8	90	602257	2-1/4	0.081	5/8	60	602283	2-3/4	0.010	1	72	602309
1-3/4	0.036	5/8	90	602258	2-1/4	0.091	5/8	60	602284	2-3/4	0.012	1	72	602310
1-3/4	0.040	5/8	90	602259	2-1/4	0.102	5/8	60	602285	2-3/4	0.013	1	72	602311
1-3/4	0.045	5/8	90	602260	2-3/4	0.010	3/4	72	602286	2-3/4	0.014	1	72	602312
1-3/4	0.051	5/8	90	602261	2-3/4	0.012	3/4	72	602287	2-3/4	0.016	1	72	602313
1-3/4	0.057	5/8	90	602262	2-3/4	0.016	3/4	72	602288	2-3/4	0.018	1	72	602314
1-3/4	0.064	5/8	90	602263	2-3/4	0.018	3/4	72	602289	2-3/4	0.020	1	72	602315
1-3/4	0.072	5/8	90	602264	2-3/4	0.020	3/4	72	602290	2-3/4	0.023	1	72	602316
2-1/4	0.008	5/8	60	602265	2-3/4	0.023	3/4	72	602291	2-3/4	0.025	1	72	602317
2-1/4	0.010	5/8	60	602266	2-3/4	0.025	3/4	72	602292	2-3/4	0.028	1	72	602318
2-1/4	0.012	5/8	60	602267	2-3/4	0.028	3/4	72	602293	2-3/4	0.032	1	72	602319
2-1/4	0.014	5/8	60	602268	2-3/4	0.032	3/4	72	602294	2-3/4	0.035	1	72	602320
2-1/4	0.016	5/8	60	602269	2-3/4	0.036	3/4	72	602295	2-3/4	0.036	1	72	602321