


Electronic Outside Micrometers



Spherical Anvil to measure tube thickness




- Resolution: 0.00005"/0.001mm
- Button functions: on/off, set, inch/mm, ABS/INC (absolute and incremental measurement)
- Auto power off
- Battery LR44
- Carbide tips
- Ratchet thimble
- Spherical anvil included allows tube thickness measurements
- Micrometers over 0-1"/0-25mm are supplied with a setting standard
- Supplied in fitted storage case

Range (Inch/mm)	Accuracy (Inch)	L (Inch)	a (Inch)	b (Inch)	c (Inch)	Ød (Inch)	e (Inch)	f (Inch)	g (Inch)	INSIZE No.	Code
0-1/0-25	±0.00010	1.260	0.236	1.083	0.118	0.256	0.551	1.811	1.890	3109-25E	816500
1-2/25-50	±0.00015	2.244	0.315	1.457	0.118	0.256	0.551	1.811	1.890	3109-50E	816502
2-3/50-75	±0.00015	3.228	0.315	1.969	0.118	0.256	0.551	1.811	1.890	3109-75E	816504
3-4/75-100	±0.00015	4.213	0.394	2.402	0.118	0.256	0.551	1.811	1.890	3109-100E	816506

Outside Micrometers



With Counter



- Counter resolution: 0.001"
- Thimble graduation: 0.0001"
- Ratchet stop and carbide tips
- Micrometers over 1"/25mm are supplied with a setting standard
- Supplied in fitted storage case

Range (Inch)	Accuracy (Inch)	L (Inch)	a (Inch)	b (Inch)	c (Inch)	Ød (Inch)	e (Inch)	f (Inch)	Øg (Inch)	INSIZE No.	Code
0-1	±0.00016	1.260	0.236	1.024	0.138	0.256	1.181	2.598	0.709	3400-1	280933
1-2	±0.00016	2.244	0.315	1.260	0.138	0.256	1.181	2.598	0.709	3400-2	280934
2-3	±0.00020	3.228	0.315	1.752	0.138	0.256	1.181	2.598	0.709	3400-3	280935
3-4	±0.00020	4.213	0.315	2.244	0.138	0.256	1.181	2.598	0.709	3400-4	280936

Outside Micrometers




For Left or Right Hand



Front



Back



- Graduation: 0.001"
- Graduations on both sides
- Carbide measuring tips
- Ratchet stop
- Micrometers over 1" are supplied with a setting standard
- Supplied in fitted storage case

Range (Inch)	Accuracy (Inch)	L (Inch)	a (Inch)	b (Inch)	INSIZE No.	Code
0-1	±0.00016	1.260	0.236	0.945	3236-1B	816636
1-2	±0.00016	2.244	0.315	1.260	3236-2B	816637

494