

## Chucking Reamers

Micrograin Solid Carbide – Straight Shank – 4 & 6 Straight Flutes (continued)



REAMERS

Size	Decimal Equivalent (Inch)	Flute Length (Inch)	Overall Length (Inch)	Code	Size	Decimal Equivalent (Inch)	Flute Length (Inch)	Overall Length (Inch)	Code
0.3310	0.3310	1-1/4	3-1/2	941206	0.3840	0.3840	1-1/4	3-1/2	941302
Q	0.3320	1-1/4	3-1/2	940242	0.3850	0.3850	1-1/4	3-1/2	941304
0.3330	0.3330	1-1/4	3-1/2	941208	W	0.3860	1-1/4	3-1/2	940266
0.3340	0.3340	1-1/4	3-1/2	941210	0.3870	0.3870	1-1/4	3-1/2	941306
8.5 mm	0.3346	1-1/4	3-1/2	940244	0.3880	0.3880	1-1/4	3-1/2	941308
0.3350	0.3350	1-1/4	3-1/2	941212	0.3890	0.3890	1-1/4	3-1/2	941310
0.3360	0.3360	1-1/4	3-1/2	941214	0.3900	0.3900	1-1/4	3-1/2	941312
0.3370	0.3370	1-1/4	3-1/2	941216	25/64	0.3906	1-1/4	3-1/2	940268
0.3380	0.3380	1-1/4	3-1/2	941218	0.3910	0.3910	1-1/4	3-1/2	941314
R	0.3390	1-1/4	3-1/2	940246	0.3920	0.3920	1-1/4	3-1/2	941316
0.3400	0.3400	1-1/4	3-1/2	941220	0.3930	0.3930	1-1/4	3-1/2	941318
0.3410	0.3410	1-1/4	3-1/2	941222	10 mm	0.3937	1-1/4	3-1/2	940270
0.3420	0.3420	1-1/4	3-1/2	941224	0.3940	0.3940	1-1/4	3-1/2	941320
0.3430	0.3430	1-1/4	3-1/2	941226	0.3950	0.3950	1-1/4	3-1/2	941322
11/32	0.3438	1-1/4	3-1/2	940248	0.3960	0.3960	1-1/4	3-1/2	941324
0.3440	0.3440	1-1/4	3-1/2	941228	X	0.3970	1-1/4	3-1/2	940272
0.3450	0.3450	1-1/4	3-1/2	941230	0.3980	0.3980	1-1/4	3-1/2	941326
0.3460	0.3460	1-1/4	3-1/2	941232	0.3990	0.3990	1-1/4	3-1/2	941328
0.3470	0.3470	1-1/4	3-1/2	941234	0.4000	0.4000	1-1/4	3-1/2	941330
S	0.3480	1-1/4	3-1/2	940250	0.4010	0.4010	1-1/4	3-1/2	941332
0.3490	0.3490	1-1/4	3-1/2	941236	0.4020	0.4020	1-1/4	3-1/2	941334
0.3500	0.3500	1-1/4	3-1/2	941238	0.4030	0.4030	1-1/4	3-1/2	941336
0.3510	0.3510	1-1/4	3-1/2	941240	Y	0.4040	1-1/4	3-1/2	940274
0.3520	0.3520	1-1/4	3-1/2	941242	0.4050	0.4050	1-1/4	3-1/2	941338
0.3530	0.3530	1-1/4	3-1/2	941244	0.4060	0.4060	1-1/4	3-1/2	941340
0.3540	0.3540	1-1/4	3-1/2	941246	13/32	0.4062	1-1/4	3-1/2	940276
9 mm	0.3543	1-1/4	3-1/2	940252	0.4070	0.4070	1-1/4	3-1/2	941342
0.3550	0.3550	1-1/4	3-1/2	941248	0.4080	0.4080	1-1/4	3-1/2	941344
0.3560	0.3560	1-1/4	3-1/2	941250	0.4090	0.4090	1-1/4	3-1/2	941346
0.3570	0.3570	1-1/4	3-1/2	941252	0.4100	0.4100	1-1/4	3-1/2	941348
T	0.3580	1-1/4	3-1/2	940254	0.4110	0.4110	1-1/4	3-1/2	941350
0.3590	0.3590	1-1/4	3-1/2	941254	0.4120	0.4120	1-1/4	3-1/2	941352
23/64	0.3594	1-1/4	3-1/2	940256	Z	0.4130	1-1/4	3-1/2	940278
0.3600	0.3600	1-1/4	3-1/2	941256	10.5 mm	0.4134	1-1/4	3-1/2	940280
0.3610	0.3610	1-1/4	3-1/2	941258	0.4140	0.4140	1-1/4	3-1/2	941354
0.3620	0.3620	1-1/4	3-1/2	941260	0.4150	0.4150	1-1/4	3-1/2	941356
0.3630	0.3630	1-1/4	3-1/2	941262	0.4160	0.4160	1-1/4	3-1/2	941358
0.3640	0.3640	1-1/4	3-1/2	941264	0.4170	0.4170	1-3/8	4	941360
0.3650	0.3650	1-1/4	3-1/2	941266	0.4180	0.4180	1-3/8	4	941362
0.3660	0.3660	1-1/4	3-1/2	941268	0.4190	0.4190	1-3/8	4	941364
0.3670	0.3670	1-1/4	3-1/2	941270	0.4200	0.4200	1-3/8	4	941366
U	0.3680	1-1/4	3-1/2	940258	0.4210	0.4210	1-3/8	4	941368
0.3690	0.3690	1-1/4	3-1/2	941272	27/64	0.4219	1-3/8	4	940282
0.3700	0.3700	1-1/4	3-1/2	941274	0.4230	0.4230	1-3/8	4	941370
0.3710	0.3710	1-1/4	3-1/2	941276	0.4240	0.4240	1-3/8	4	941372
0.3720	0.3720	1-1/4	3-1/2	941278	0.4250	0.4250	1-3/8	4	941374
D/P	0.3730	1-1/4	3-1/2	941280	0.4260	0.4260	1-3/8	4	941376
9.5 mm	0.3740	1-1/4	3-1/2	940260	0.4270	0.4270	1-3/8	4	941378
D/P	0.3745	1-1/4	3-1/2	941282	0.4280	0.4280	1-3/8	4	941380
3/8	0.3750	1-1/4	3-1/2	940262	0.4290	0.4290	1-3/8	4	941382
0.3755	0.3755	1-1/4	3-1/2	941284	0.4300	0.4300	1-3/8	4	941384
O/S	0.3760	1-1/4	3-1/2	941286	0.4310	0.4310	1-3/8	4	941386
0.3765	0.3765	1-1/4	3-1/2	941288	0.4320	0.4320	1-3/8	4	941388
V	0.3770	1-1/4	3-1/2	940264	0.4330	0.4330	1-3/8	4	941390
0.3780	0.3780	1-1/4	3-1/2	941290	11 mm	0.4331	1-3/8	4	940284
0.3790	0.3790	1-1/4	3-1/2	941292	0.4340	0.4340	1-3/8	4	941392
0.3800	0.3800	1-1/4	3-1/2	941294	0.4350	0.4350	1-3/8	4	941394
0.3810	0.3810	1-1/4	3-1/2	941296	D/P	0.4355	1-3/8	4	941396
0.3820	0.3820	1-1/4	3-1/2	941298	0.4360	0.4360	1-3/8	4	941398
0.3830	0.3830	1-1/4	3-1/2	941300	U/S	0.4365	1-3/8	4	941400